1). Gauces #12 2.19.08

"EXPRESS MAIL" MAILING LABEL

NUMBER EL508608379US

DATE OF DEPOSIT February 7, 2000

I HEREBY CERTIFY THAT THIS PAPER OR FEE IS BEING DEPOSITED WITH THE UNITED STATES POSTAL SERVICE "EXPRESS MAIL POST OFFICE TO ADDRESSEE" SERVICE UNDER 37 C.F.R. 1.10 ON THE DATE INDICATED ABOVE AND IS ADDRESSED TO "THE ASSISTANT COMMISSIONER FOR PATENTS,

washington, D.C. 20231 Eric M. Parham

(TYPED OR PRINTED NAME OF PERSON MAILING

PAPER OR FEE)

(SIGNATURE OF PERSON MAILING PAPER OR FEE)



## IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Applicant		) Group Art Unit: 1743
	Edward L Carver, Jr. and	)
	Steven J. Skiptunas	)
on		) Examiner: L. Alexander
	APPARATUS AND METHOD	)
	FOR MIXING FLUIDS FOR	)
	ANALYSIS	)
Appl	ication Serial No. 09/198,004	)
		)
Filed	on November 23, 1998	) (Docket No. 116310.0032)

Hartford, Connecticut, 7 February, 2000

Box CPA Assistant Commissioner for Patents Washington, DC 20231

## SUPPLEMENTAL INFORMATION DISCLOSURE STATEMENT

Dear Sirs:

In accordance with 37 C.F.R. § 1.56, the references set forth below and listed on the attached form PTO-1449 are being brought to the attention of the Examiner for consideration in connection with the examination of the above-identified patent application.

Copies of newly cited references set forth and cited on form PTO-1449 are enclosed herewith.

Pursuant to 37 C.F.R. 1.98(d), copies of references previously submitted in Application Serial

No. 09/198,004, but not yet considered by the Examiner, have not been enclosed. However, Applicant would be pleased to provide additional copies of any references at the Examiner's request.

U.S. Patent			Class/
Number	Dated	<u>Inventor</u>	Subclass
3,793,587	2/19/74	Thom et al.	324/71
3,810,010	5/7/74	Thom	324/71
3,822,095	7/2/74	Hirschfeld	356/39
3,836,849	9/17/74	Coulter et al.	324/71
3,871,770	3/18/75	Von Behrens	356/103
		et al.	
3,900,290	8/19/75	Hornstra	23/230
4,001,678	1/4/77	Berg	324/71
4,014,611	3/29/77	Simpson et al.	356/72
4,030,888	6/21/77	Yamamoto et	23/253
		al.	
4,050,904	9/27/77	Cramer	23/288
4,146,604	3/27/79	Kleinerman	424/3
4,165,484	8/21/79	Haynes	324/71
4,198,160	4/15/80	Kachel et al.	356/72
4,253,058	2/24/81	Kachel et al.	324/71
4,323,537	4/6/82	Mody	422/63
4,395,676	7/26/83	Hollinger et	324/71.4
		al.	
4,420,564	12/13/83	Tsuji et al.	435/288
4,424,276	1/3/84	Clark et al.	436/50
4,503,385	3/5/85	Haynes	324/71.4
4,509,904	4/9/85	MacAskill et	417/568
		al.	
4,549,813	10/29/85	Volz et al.	366/160
4,634,431	1/6/87	Whitney et al.	604/155
4,683,212	7/28/87	Uffenheimer	436/52
4,695,431	9/22/87	Farrell	422/81
4,713,974	12/22/87	Stone	73/864.23
4,804,519	2/14/89	Sainz et al.	422/81
4,908,187	3/13/90	Holmquist et	422/81
		al.	
4,948,565	8/14/90	Bemis et al.	422/103
5,003,895	4/2/91	Talanker	112/103
5,030,002	7/9/91	North, Jr.	356/73
5,092,989	3/3/92	Steen	210/85
5,124,035	6/23/92	Dunne et al.	210/206
, ,	•		

5,134,079	7/28/92	Cusack et al.	436/53
5,180,677	1/19/93	Di Ianni et al.	436/17
5,187,673	2/16/93	Carver, Jr. et al.	364/555
5,192,509	3/9/93	Surjaatmadja et al.	422/75
5,223,398	6/29/93	Kortright et al.	435/7.24
5,256,374	10/26/93	De Silva et al.	422/80
5,260,027	11/9/93	Kuroda	422/81
5,316,725	5/31/94	Carver, Jr. et al.	422/61

## **FOREIGN PATENT DOCUMENTS**

Document			Class/	Translation	
<u>Number</u>	<u>Date</u>	Country	<u>Subclass</u>	<u>Yes</u>	<u>No</u>
0 107 333	5/2/84	EPO		X	
0 101 161	2/22/84	EPO		X	
89/04961	6/1/89	EPO		X	
91 07 564	10/24/91	Germany			X

## **OTHER DOCUMENTS**

(Including Author, Title, Date, Pertinent Pages, Etc.)

Fisher Scientific Catalog, 1988, pp. 1402-1403.

R. Hallawell et al., "An Evaluation Of The Sysmex NE-8000® Hematology Analyzer", Am. J. Clin. Path, September 1991, Vol. 96, pp. 594-601.

The Henley Group Inc., "The CELLECT™ Hematology Systems from Instrumentation Laboratory", 1986.

B. A. Payne et al., "Evaluation Of The TOA E-5000® Automated Hematology Analyzer", <u>Am. J. Clin.</u> Path, July 1987, Vol. 88, p. 51-57.

It is respectfully requested the Examiner indicate consideration of the cited references by returning a copy of the attached form PTO-1449 with initials or other appropriate marks.

No fee in addition to that submitted herewith is believed to be required.

However, if any additional fees are required, or otherwise if necessary to cover any deficiency in fees already paid, authorization is hereby given to charge our Deposit Account No. 11-0231.

Respectfully submitted,

Eric M. Parham Reg. No. P-45,747

Attorney for Applicants

PTO Correspondence Address: CUMMINGS & LOCKWOOD Granite Square 700 State Street P.O. Box 1960 New Haven, CT 06509-1960

Phone: (860) 275-6719 Fax: (860) 560-5919